

# Commande

## Admin:

**announce** Announce a message to all servers the bot is in.

**selfroleset** Manage selfroles.

**serverlock** Lock a bot to its current servers only.

## CogManagerUI:

**addpath** Add a path to the list of available cog paths.

**cogs** Lists all loaded and available cogs.

**installpath** Returns the current install path or sets it if one...

**paths** Lists current cog paths in order of priority.

**removepath** Removes one or more paths from the available cog pat...

**reorderpath** Reorders paths internally to allow discovery of dif...

**allowlist** Commands to manage the allowlist.

**blocklist** Commands to manage the blocklist.

**command** Commands to enable and disable commands and cogs.

**contact** Sends a message to the owner.

**diagnoseissues** Diagnose issues with the command checks with ease! **dm** Sends a DM to a user.

**embedset** Commands for toggling embeds on or off.

**helpset** Commands to manage settings for the help command.

**info** Shows info about mibro.

**invite** Shows mibro's invite url.

**inviteset** Commands to setup mibro's invite settings.

**leave** Leaves servers.

**licenseinfo** Get info about Red's licenses.

**load** Loads cog packages from the local paths and installed cogs.

**modlogset** Manage modlog settings.

**mydata** Commands which interact with the data mibro has about you.

**reload** Reloads cog packages. **restart** Attempts to restart mibro.

**servers** Lists the servers mibro is currently in.

**set** Commands for changing mibro's settings.

**shutdown** Shuts down the bot.

## **slash Base command for managing what application commands are a...**

**disable** Marks an application command as being disabled, prevent...

**disablecog** Marks all application commands in a cog as being dis...

**enable** Marks an application command as being enabled, allowing...

**enablecog** Marks all application commands in a cog as being enab...

**list** List the slash commands the bot can see, and whether or no...

**sync** Syncs the slash settings to discord.

**traceback** Sends to the owner the last command exception that ha...  
**unload** Unloads previously loaded cog packages.  
**.suptime** Shows mibro's uptime.

---

Revision #1

Created 16 March 2024 01:48:59 by alexwilliam

Updated 16 March 2024 01:54:44 by alexwilliam